

2020 Kelvale Ram Sale Data

Lot Number	TAG	Sire	B/T	GFW %	SL	Micron	SD	CV	CF	YWT	YFAT	YEMD	YFD	YCFW	YSL
1	190173	SSYN	SINGLE	100	60	16.8	2.7	16.7	99.7	6.71	0.26	0.67	-1.29	17.4	15.6
2	191457	SSYN	SINGLE	110	60	18.5	2.9	16.2	99.9	7.24	0.57	1.35	-0.36	24.6	20.3
3	192154	SYN	N/A	105	65	18.8	2.4	13.3	100	7.49	N/A	0.62	-0.39	16.3	18.1
4	190151	120	TWIN	105	60	19.7	2.7	14.2	99.9	6.31	-0.21	-0.38	-0.78	20.1	15.9
5	190078	120	TWIN	90	70	18.9	2.4	13.2	100	4.96	-0.05	0.71	-0.71	12.8	15.4
6	191151	004	TWIN	100	65	19.3	3.5	18.7	99.2	6.42	-0.06	1.16	-0.05	23.1	23.8
7	191236	1026	SINGLE	115	60	19	3.2	17.4	99.5	4.29	0.17	1.19	-0.77	20.1	16.7
8	191159	004	TWIN	95	60	18.4	2.7	15.2	99.9	7.60	0.39	2.54	-0.56	12.9	20.9
9	190061	120	TWIN	80	60	19.5	3.3	17.4	99.7	3.26	0.28	0.25	-0.98	13.9	15.5
10	191133	004	TWIN	105	65	19.8	3.1	16.2	99.8	7.22	0.41	2.23	-0.01	20.4	21.9
11	191055	004	SINGLE	90	65	18.6	3.2	17.7	99.4	5.38	0.03	1.29	-0.32	17.4	21.7
12	190055	120	TWIN	105	65	19.3	2.8	15	99.7	5.11	0.07	0.09	-0.82	18.7	13.8
13	191312	1166	TWIN	125	65	20.5	2.8	14.1	99.9	7.83	0.47	0.35	-0.08	20.7	17.3
14	190058	120	TWIN	105	60	19.1	2.7	14.7	99.6	4.75	-0.01	0.51	-0.92	18.0	15.9
15	190116	004	TWIN	85	60	19.4	3.3	17.5	99.5	6.33	-0.07	0.97	-0.27	19.5	20.4
16	190077	120	TWIN	85	65	19.6	3.8	19.9	99.2	5.02	-0.13	0.60	-0.51	16.4	17.1
17	191205	1026	SINGLE	110	60	19.6	3.3	17.3	99.2	6.83	0.69	1.91	-0.45	21.5	15.9
18	191411	1115	TWIN	110	60	18.6	2.5	14	100	5.93	0.28	1.10	-0.66	22.4	16.3
19	190050	120	TWIN	95	55	18.6	2.3	12.9	100	7.22	0.28	0.56	-0.99	16.7	18.1
20	190141	SSYN	SINGLE	105	60	19.3	2.7	14.5	99.5	6.39	0.49	1.20	-0.02	17.5	17.5
21	191186	004	TWIN	110	60	18.4	2.9	16.3	99.5	8.72	0.21	1.60	-0.28	17.7	19.8
22	191462	SSYN	SINGLE	110	55	17.8	2.6	15.2	100	6.31	0.20	0.30	-0.87	17.8	14.4
23	191479	SSYN	TWIN	125	60	18.2	2.9	16.5	99.7	5.98	N/A	0.71	-0.84	22.4	16.3
24	191121	1307	SINGLE	120	55	18.9	2.7	14.8	100	6.75	0.71	2.01	-0.90	11.8	13.8
25	191355	1166	SINGLE	125	55	N/A	N/A	N/A	N/A	5.28	0.06	-0.25	N/A	19.5	15.0
26	191127	004	TWIN	100	60	18	2.4	13.9	99.6	5.29	0.24	1.88	-0.50	14.6	21.0
27	190017	B080	TWIN	110	55	19.3	3.2	17.1	99.7	7.00	0.47	0.47	-0.44	25.7	17.3
28	191492	SSYN	SINGLE	130	60	17.5	2.8	16.6	99.6	7.73	0.10	0.66	-1.07	25.1	16.9
29	191315	1166	SINGLE	105	55	18.9	2.9	15.9	99.5	6.52	0.29	-0.17	-0.67	14.5	12.9
30	192081	SYN	N/A	110	60	18.1	3.1	17.7	99.5	4.81	N/A	0.79	-0.73	19.6	18.3
31	191023	AL505	SINGLE	125	60	19.2	2.9	15.6	99.7	7.53	0.02	-0.40	-0.14	21.4	14.7
32	192377	SYN	N/A	105	55	19.4	2.8	14.9	99.9	7.85	N/A	1.19	-0.13	17.1	18.3
33	192228	SYN	N/A	100	65	19.9	3.1	16.1	99.7	4.77	N/A	0.95	-0.08	18.0	18.4
34	191167	004	TWIN	90	55	17.1	3.9	23.4	99.6	3.19	0.12	1.91	-1.13	14.5	17.0
35	191360	1166	SINGLE	120	55	20	2.7	14	99.7	7.91	0.61	0.86	-0.02	19.9	14.5
36	191134	004	TWIN	115	60	18.9	3.1	16.9	99.6	7.52	-0.28	0.71	-0.44	22.8	22.8
37	191281	1166	SINGLE	90	55	19.3	2.9	15.5	99.4	6.27	0.75	0.91	-0.42	13.6	13.0
38	192066	SYN	N/A	115	60	20.6	3.1	15.5	99.3	6.14	N/A	1.55	0.24	20.3	18.9
39	191454	SSYN	SINGLE	110	60	18.1	2.8	16	100	6.81	N/A	1.30	-0.54	16.0	16.5
40	190002	B080	SINGLE	115	55	18.3	2.4	13.7	99.9	9.02	0.53	1.39	-0.10	20.8	14.2

2020 Kelvale Ram Sale Data

Lot Number	TAG	Sire	B/T	GFW %	SL	Micron	SD	CV	CF	YWT	YFAT	YEMD	YFD	YCFW	YSL
41	191347	1166	TWIN	105	60	19.3	2.5	13.5	99.5	7.05	0.32	0.15	-0.41	16.6	14.5
42	191092	G405	SINGLE	105	60	19.4	3.8	20.1	99.2	4.44	0.69	1.59	-0.42	14.3	19.9
43	192043	SYN	N/A	105	60	21.1	3.3	16.1	99.2	6.64	N/A	1.12	0.43	18.4	16.8
44	190117	004	TWIN	95	60	20.5	2.8	14.1	99.9	6.00	0.04	1.32	0.03	19.6	20.5
45	191173	004	SINGLE	110	60	19.5	2.5	13.3	99.6	6.28	0.26	2.08	0.09	17.4	25.5
46	192060	SYN	N/A	95	60	17.2	2.8	16.9	99.7	5.22	N/A	1.16	-1.06	14.8	15.8
47	191433	1115	SINGLE	120	60	17.5	2.5	14.9	99.7	7.27	0.38	0.96	-0.89	23.9	16.3
48	191272	1026	TWIN	95	60	19.4	2.6	13.9	99.6	6.24	0.75	2.08	-0.43	14.3	17.5
49	191407	1115	TWIN	120	60	19.2	3.4	18.2	99.7	7.24	0.37	0.82	-0.61	28.6	18.0
50	190163	SSYN	TWIN	95	60	18.9	3.5	19	99.1	7.37	0.07	0.04	-0.61	24.6	18.3
51	191241	1026	SINGLE	90	55	19.6	3.8	19.9	99.6	6.80	0.67	1.91	-0.44	16.1	16.9
52	191467	SSYN	SINGLE	105	60	18.5	3.3	18.4	99.5	7.10	0.27	0.90	-0.58	22.3	18.0
53	191056	004	SINGLE	115	60	20.1	3.1	15.9	99.7	7.39	0.10	1.73	0.32	19.5	24.7
54	191067	004	SINGLE	110	60	19.9	3	15.6	99.9	5.89	0.24	2.14	0.12	17.4	19.5
55	191203	1026	TWIN	115	55	19.7	3.2	16.8	99.7	7.39	0.60	0.98	-0.37	22.5	17.8
56	191283	1166	TWIN	110	55	20.1	3.4	17.4	99.3	8.24	0.27	0.19	0.01	22.1	17.0
57	191264	1026	TWIN	100	60	19	3.3	17.9	99.8	5.68	0.46	0.76	-0.74	17.1	15.3
58	191166	004	TWIN	105	60	20.9	3.5	17.2	99.6	7.27	0.10	1.58	0.00	18.4	20.5
59	192159	SYN	N/A	90	60	19.4	3.1	16.5	99.6	6.51	N/A	1.40	-0.20	14.5	16.2
60	190001	B080	SINGLE	125	65	18.8	3.7	20.2	99.2	8.37	0.34	0.57	-0.15	27.7	15.3
61	191273	1166	TWIN	125	55	20.5	2.8	14.1	99.5	7.68	0.23	0.10	-0.10	23.5	15.5
62	191229	1026	TWIN	110	55	18.4	3	16.8	99.8	5.96	0.58	1.41	-0.72	19.7	17.2
63	192014	SYN	N/A	120	55	20.2	3	15.3	99.6	6.15	N/A	0.68	0.00	19.0	15.0
64	191132	004	TWIN	100	60	19.2	2.3	12.5	99.9	8.35	0.35	1.76	-0.07	19.4	24.2
65	191366	1115	SINGLE	110	55	18.8	2.8	15.4	99.6	5.80	0.40	1.21	-0.55	21.7	16.6
66	191161	004	TWIN	90	55	18.3	3.2	18	99.1	5.28	0.51	2.26	-0.85	12.5	19.7
67	192303	SYN	N/A	100	55	19	3	16.3	99.2	7.74	N/A	1.27	-0.29	15.6	16.2
68	191037	004	TWIN	85	55	20.3	3.6	18.2	99.7	2.81	0.19	2.68	0.21	17.0	23.7
69	191414	1115	TWIN	110	55	18.4	2.8	15.8	99.7	4.82	0.32	0.59	-0.87	19.8	16.2
70	192200	SYN	N/A	120	55	19.7	3.2	16.8	99.3	5.57	N/A	0.41	-0.15	22.3	18.9
71	191140	1166	SINGLE	95	55	19	3.1	16.8	99.5	8.05	0.60	0.55	-0.44	15.5	13.9
72	190099	120	SINGLE	90	55	19.9	3.5	18.1	99.5	5.47	0.30	1.01	-0.37	12.8	15.3
73	191310	1166	SINGLE	115	60	20.2	3	15.3	99.7	6.51	0.53	0.47	0.00	27.5	19.6
74	192256	SYN	N/A	130	55	19.4	3.2	17	99.9	5.09	N/A	1.59	-0.27	20.5	15.0
75	192100	SYN	N/A	105	55	19.1	2.9	15.7	99.6	6.01	N/A	0.21	-0.45	16.4	14.4
76	191440	SSYN	SINGLE	120	55	18	2.5	14.4	99.5	5.43	0.21	1.12	-0.94	20.2	16.3
77	190162	SSYN	TWIN	105	60	19.7	2.3	12.2	100	6.92	0.67	2.04	-0.13	20.8	18.6
78	191401	1115	SINGLE	120	55	21.2	3	14.6	99.6	7.75	0.46	0.85	0.23	27.3	17.5
79	190154	SSYN	TWIN	115	60	17.1	2.7	16.4	99.8	4.53	0.49	1.79	-1.15	23.1	20.0
80	192398	SYN	SINGLE	95	60	18.8	2.7	14.9	99.9	5.81	N/A	1.79	-0.45	13.0	14.1

2020 Kelvale Ram Sale Data

Lot Number	TAG	Sire	B/T	GFW %	SL	Micron	SD	CV	CF	YWT	YFAT	YEMD	YFD	YCFW	YSL
81	191284	1166	SINGLE	105	55	19.5	3.6	19	99.4	7.46	0.47	0.50	-0.31	18.3	13.5
82	192326	SYN	N/A	85	60	19.8	3.5	18.2	99.4	6.04	N/A	0.30	-0.17	14.3	14.3
83	191155	004	SINGLE	105	60	20.6	2.9	14.6	99.5	7.00	0.39	2.15	0.43	18.9	21.6
84	191336	1166	TWIN	105	55	19.7	3.3	17.3	99.5	7.76	0.52	0.40	-0.26	18.0	14.5
85	192325	SYN	N/A	105	55	21.5	3.5	16.7	99.4	5.09	N/A	0.57	0.45	20.1	17.1
86	191049	004	TWIN	90	60	20.8	3.9	19.2	99	6.91	0.26	2.05	0.48	24.5	26.0
87	191389	1115	SINGLE	115	55	18.8	2.9	16	99.6	6.44	0.41	0.85	-0.45	23.5	18.3
88	190097	120	SINGLE	95	55	17.8	2.3	13.5	99.9	5.36	0.20	0.47	-1.28	12.0	15.2
89	191050	004	TWIN	100	55	19.4	3	16	99.7	7.89	0.10	1.77	0.08	24.6	25.9
90	191114	1307	TWIN	95	60	18	3.1	17.8	100	3.74	0.38	0.62	-1.26	11.5	15.1
91	191182	004	TWIN	100	55	20.7	3.6	17.9	99.9	4.83	0.42	1.88	0.35	16.6	20.7
92	192409	SYN	N/A	95	60	20	3.7	19	99	4.71	N/A	0.67	-0.08	18.0	14.8
93	192309	SYN	N/A	105	60	21.1	3.4	16.6	99.1	6.07	N/A	1.29	0.40	19.0	17.0
94	191020	AL505	TWIN	110	55	22.6	3.4	15.5	98.4	7.10	0.41	1.03	1.02	18.5	14.2
95	192345	SYN	N/A	100	55	20.9	3.3	16.3	99.1	4.74	N/A	2.12	0.32	15.4	14.7
96	191087	G405	SINGLE	95	55	17.9	2.8	16.2	99.8	1.91	0.79	1.34	-1.16	9.4	16.7
97	191100	G405	TWIN	100	55	19	3.4	18.4	99.8	4.07	0.75	1.08	-0.57	13.4	18.7
98	191345	1166	TWIN	90	55	20.2	3.7	18.8	99.2	6.14	0.55	0.54	-0.12	15.8	13.0
99	191471	SSYN	TWIN	110	60	18.9	2.5	13.8	99.9	6.01	0.29	0.86	-0.38	17.7	14.4
100	190145	SSYN	TWIN	100	60	19.1	3	16.2	99.4	5.24	N/A	1.79	-0.54	13.9	12.1
101	191164	004	TWIN	100	60	17.9	2.7	15.6	100	6.64	0.37	2.02	-0.64	14.3	20.3
102	192290	SYN	N/A	95	60	19.8	2.8	14.6	99.9	7.14	N/A	1.02	-0.03	15.7	18.1
103	191317	1166	TWIN	105	60	18.5	2.4	13.5	100	8.47	0.31	0.22	-0.73	19.7	15.4
104	190060	120	SINGLE	85	55	17.1	3.3	19.9	99.5	6.34	0.49	1.10	-1.35	13.7	14.7
105	191202	1026	SINGLE	95	55	19.1	3	16.2	99.5	6.51	0.57	0.88	-0.43	16.6	14.4
106	191035	AL505	TRIPLET	110	55	20.1	3.1	15.9	99.6	6.59	0.19	0.61	0.07	22.8	16.5
107	190101	120	TWIN	95	55	18.2	2.3	13.2	100	4.25	0.37	1.20	-1.16	15.4	15.3
108	191423	1115	TWIN	110	55	17.2	3	18	99.6	4.52	0.15	0.74	-1.32	19.2	14.3
109	192105	SYN	N/A	105	50	21	3.2	15.7	99.5	6.99	N/A	1.27	0.43	18.9	18.8
110	190165	SSYN	TWIN	100	55	19.2	2.2	12	100	8.22	0.89	1.90	-0.36	14.6	15.8
111	191356	1166	SINGLE	95	55	18.6	2.8	15.6	99.7	8.99	0.34	-0.23	-0.60	17.8	14.2
112	192204	SYN	N/A	100	50	19.5	2.9	15.4	99.6	6.04	N/A	1.58	-0.19	14.6	14.3
113	191357	1026	SINGLE	95	50	17.8	2.7	15.7	99.6	6.24	0.58	1.33	-1.07	13.4	14.3
114	190009	B080	TWIN	105	55	17.6	3.9	22.7	99.4	6.32	0.49	1.66	-1.01	22.4	13.3
115	192297	SYN	N/A	100	60	19.2	3	16.1	99.5	4.54	N/A	-0.50	-0.52	16.8	14.5
116	192370	SYN	N/A	110	60	19.5	2.7	14.4	99.7	5.89	N/A	0.82	-0.25	16.3	14.5
117	192076	SYN	N/A	75	55	19.9	3.3	17.1	99.3	4.51	N/A	1.36	-0.12	11.4	14.0
118	191099	G405	TWIN	85	55	19.8	3.3	17.2	99.5	6.77	1.16	2.16	-0.28	12.7	28.1
119	191235	1026	SINGLE	115	55	18.3	2.7	15.3	100	6.20	0.55	1.68	-0.65	15.8	13.9
120	192318	SYN	N/A	110	55	17.4	2.7	16.1	99.7	6.38	N/A	1.24	-0.97	15.2	14.0

2020 Kelvale Ram Sale Data

Lot Number	TAG	Sire	B/T	GFW %	SL	Micron	SD	CV	CF	YWT	YFAT	YEMD	YFD	YCFW	YSL
121	190092	120	TWIN	105	50	18.4	3.1	17.4	99.3	5.16	-0.04	-0.05	-1.29	16.5	11.8
122	190087	120	SINGLE	105	55	18.1	2.5	14.4	99.9	4.22	0.23	0.81	-1.09	11.3	13.2
123	190098	120	SINGLE	100	55	18.4	3.1	17.4	99.4	5.79	0.32	1.09	-0.94	15.1	15.0
124	190170	SSYN	SINGLE	110	50	17.4	2.6	15.5	99.7	7.18	0.16	0.34	-1.17	19.5	15.5
125	191322	1166	TWIN	110	50	19.5	2.4	12.8	100	7.09	0.23	0.03	-0.67	19.9	11.7
126	191220	1026	SINGLE	105	55	16	2.5	16.3	100	5.47	0.45	0.66	-1.77	17.7	13.2
127	191052	004	SINGLE	90	55	19.3	3.5	18.7	99.5	7.33	0.23	1.92	-0.09	15.5	20.6
128	192348	SYN	N/A	80	55	19.9	2.7	14.1	99.8	5.13	N/A	1.48	-0.14	9.8	12.1
129	191249	1026	TWIN	105	55	17.6	2.4	14.2	99.7	5.76	0.53	1.38	-0.95	15.5	15.0
130	191485	SSYN	SINGLE	120	55	19.1	2.5	13.6	99.5	6.58	0.34	0.77	-0.42	21.1	18.8
131	190028	B080	SINGLE	115	55	18.3	3	16.9	99.5	6.06	0.22	-0.16	-1.14	18.5	13.7
132	191497	SSYN	TWIN	120	55	20.2	3.1	15.8	99.6	7.09	0.38	0.99	-0.40	20.6	14.3
133	191368	1115	SINGLE	85	55	18	3.3	18.9	99.5	7.49	0.76	1.97	-0.54	20.0	13.6
134	191406	1115	TWIN	115	55	19.9	3.2	16.6	99.6	6.74	0.21	0.27	-0.13	25.9	20.0
135	191518	SSYN	TWIN	85	55	18.4	2.8	15.8	99.8	4.16	0.50	1.07	-1.03	17.0	17.1
136	192172	SYN	N/A	125	50	19.1	2.8	15.2	99.8	5.04	N/A	1.12	-0.45	19.4	14.8
137	190142	SSYN	TWIN	100	50	16.9	2.5	15.4	99.8	7.61	0.16	1.01	-0.93	17.1	13.6
138	191230	1026	TWIN	90	50	17.5	2.5	14.9	99.8	5.52	0.79	1.13	-1.01	12.6	13.7
139	192001	SYN	N/A	110	55	N/A	N/A	N/A	N/A	3.36	N/A	0.49	N/A	N/A	15.4
140	191022	AL505	SINGLE	105	55	20	3.2	16.5	99.7	7.76	0.15	0.01	0.19	18.7	15.5
141	191256	1026	SINGLE	90	50	18.3	2.7	15.3	99.9	5.57	0.80	1.39	-0.84	12.3	13.1
142	191217	1026	TRIPLET	120	55	18.6	2.4	13.4	100	6.41	0.63	0.80	-0.74	17.9	18.4
143	191465	SSYN	TWIN	95	55	18.8	2.8	15.4	99.4	6.51	0.23	0.59	-0.53	21.4	19.3
144	191248	1026	SINGLE	120	55	19.9	2.5	13.1	100	5.03	0.63	1.97	-0.08	20.0	17.9
145	190138	SSYN	SINGLE	100	60	18.9	3.1	16.9	99.4	5.57	0.36	1.36	-0.48	17.5	19.4
146	191047	004	SINGLE	80	55	18.4	3	16.8	99.8	5.48	-0.02	1.04	-0.43	14.6	20.3
147	191088	G405	SINGLE	115	55	18.9	3.6	19.6	99.4	2.12	0.69	0.76	-0.67	19.8	20.6
148	191441	SSYN	SINGLE	115	50	21.2	2.9	14.2	99.8	7.63	N/A	1.01	0.58	18.9	17.6
149	190029	B080	SINGLE	100	55	19.6	3	15.8	99.7	6.47	0.36	0.79	-0.20	20.1	15.9
150	190034	B080	TWIN	110	55	20.5	3.3	16.6	99.3	7.05	0.26	0.36	-0.18	22.5	13.7
151	190012	B080	SINGLE	100	55	18.2	2.9	16.5	99.7	8.75	0.30	0.82	-0.87	20.2	12.2
152	190045	B080	TWIN	100	55	19.1	3	16.2	99.8	7.72	0.35	1.09	-0.50	22.2	14.6
153	192233	SYN	N/A	125	55	19.3	2.8	15	100	5.92	N/A	1.04	-0.29	20.1	16.7
154	190175	SSYN	SINGLE	125	55	19.4	3	16	99.3	5.61	0.47	1.18	-0.55	20.4	19.3
155	191017	AL505	TWIN	95	55	19.5	3.2	16.9	99.6	5.97	0.07	0.26	-0.15	17.5	12.5
156	192237	SYN	N/A	105	50	19.9	3.4	17.6	99.4	4.43	N/A	1.12	-0.09	18.3	16.6
157	192366	SYN	N/A	110	55	18.4	3	16.8	99.6	3.92	N/A	0.82	-0.77	16.1	12.4
158	190019	B080	SINGLE	85	50	18.9	2.6	14.3	100	8.25	0.36	1.00	-0.51	18.1	15.3
159	192192	SYN	N/A	130	60	19.7	3	15.7	99.6	7.46	N/A	0.37	N/A	N/A	N/A
160	190006	B080	SINGLE	120	50	17	2.9	17.6	99.9	6.28	0.00	1.24	-0.52	21.6	15.3